

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD




1256^(FA)
(353123)

Rear quarter strip (inside) fastener:
Instrument panel moulding fastener
Ford Lincoln Early models
Hood side moulding fastener:
Ford Trucks




2384^(FA)
(BAF-5724868B)

Rear quarter Moulding Fastener
Mercury




701-191^(FA)
(383033-S101)
Phosphate
Door Panel Fastener
Ford Products 73' - 80



701-194^(BAA)
(383035-S100)

Clip. Door Trim
Panel with
Anti-rattle wedge
Ford '75




701-193^(BAA)
(371520-S-2)

Clip. Door Trim
Panel
(Used with
Padded Panels)
Ford '75




1230^(BAA)


Cowl Moulding, Door & Quarter
Trim Panel Fastener
FORD



701-263^(CF)
(AMC 4003695)
(FORD D8KB-5420908AA
Phosphate
Moulding Fastener
FORD & AMC Products



701-264^(BA)
(D8KB-5420908)
Phosphate
Moulding Fastener with
sealer
FORD 1976-on
Plate: 3/4 x 1-5/8 long
Arm: 1-5/8 Long
Fits into 5/16 Hole




11822^(CF)
(D5AB-60423B06-AA)
(D5DB-66423B06-CA)
Phosphate
Moulding Fastener
FORD '77-'78

BODY SHOP SUPPLIES
FORD

O.E.M. HARDWARE


Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD




11136^(CF)
(D30Z-16776-A)
(6003351)
Black Nylon

Hood Insulation Fastener
CHRYSLER PROD '72-on
FORD '73-on
Dust Guard from Grille to
Radiator Fastener
Head Dia: 1/2 x 1-1/2
Stem Dia: 9/32"
Stem Length: 5/8"




701-625^(FA)
(385228-S)
Nylon
Black

Hood Insulation Fastener
For Heavier Type Insulation
FORD '74-on




13571^(FA)
(386553-S)
Black Nylon

Ford Prod 1975-1985
Hood Insulation retainer
Head Dia 1-3/16"
Stem Dia: 3/8"
Stem Length: 3/4"




14019^(CF)
(N803421-S)
Nylon/Black

FORD PRODUCT
Various Models
Splash Shield
Facia Retainer




14020^(CF)
(N802781-S)
Nylon/Black

FORD PRODUCT
Various Models
Splash Shield
Facia Retainer



14163^(FA)
(388908-S)
Black-Nylon

Ford Prod-Most Models
1975-on
Hood Insulation retainer
Head Dia 1-3/4"
Stem Dia: 3/8"
Stem Length: 3/4"



14753^{FA)}
14753B^{CF}
14753CFA
N8045705, 20664092

TYPE RETAINER
HEAD: 11/16
HOLE: 1/4"
FORD, GM



14018^(CF)
(803716-S)
Nylon
Black

FORD PRODUCT
Mustang/Capri
1985-on

Facia Fastener

Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD



12565^(CF)
(N-801925)

Clip. Door Trim Panel
Ford '81
Head Dia: 25/32
Stem Dia: 5/16"
Stem Length: 5/8"



12732^(FA)
(385188-S)
(6032235)

Door & Interior Trim Panel
Ford '75
Chrysler '81
Head Dia: 3/4
Stem Dia: 23/64"
Stem Length: 19/32"



533178^(FA)
(C5AB-6220586-A)
Natural Nylon

Door Weatherstrip Fastener:
Head Dia: 3/16 x 1/2
Stem Dia: 3/16"
Stem Length: 5/8"
ALL FORD PRODUCTS



11797^(BAA)
(387477-S)

Clip. Trim Panel
Ford '77




11351^(CF)
(6003349,6032363)
(385661-S, N989022)
Nylon

Door Trim Panel Retainer
Ford, Chrys, VW '75-on
Head Dia: 15/16"
Stem Dia: 5/16"
Stem Length: 11/16"



701-197^(FA)
(389144-S)

Clip. Door Trim Panels
Ford '71




701-199^(FA)
(388499-S)

Clip. Inside Door Panel
Attaching
Ford '78-1/2/



11672^(CF)
(387496-S)

Clip. Trim Panel
Ford '76
Head Dia: 15/16"
Stem Dia: 5/16"
Stem Length: 15/16"



701-198^(FA)
(N805612-S)
(8934-202-599)

Clip. Door Trim Panel
Ford/Jeep, Eagle, Premier '88/
Plastic



15942^(FA)
(47563-S100)
Yellow Nylon

Head Dia: 3/4"
Stem Dia: 19/64
Stem Length: 7/16
Trim Panel Retainer
Ford Taurus & Sable
1989-on



12571^(CF)
(389443-S)

Facia to Bumper Fastener
Ford Product 1981-on
Head Dia: 1"
Stem Dia: 5/16"
Stem Length: 13/16"



14017^(FA)
(390126-S)
Nylon 6/6
Black


Mustang & Capri
Head Dia: 1/2"
Stem Dia: 9/32"
Stem Length: 5/8"
Fits into 1/4" hole

BODY SHOP SUPPLIES
FORD

O.E.M. HARDWARE


Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD



15523^(CF)
(E9SB-6302354-ACW)
Nylon

Cowl Side Trim Retainer
Ford T-Bird & Cougar
1989-on
Head Dia: 1"
Stem Dia: 1/4 x 5/16"
Stem Length: 1-1/8"



17075^(FA)
(389144-S)
Nylon

Trim Panel Retainer
Ford 1981-on
Head Dia: 3/4"
Stem Dia: 5/16"
Stem Length: 13/16"




11679^(BAA)
Chrysler (3861577)
Ford (387258-S)
GM (20032850)
Nylon
Length 1/2"

"Christmas tree" Mud
Shield Retainer
All Chrysler, Ford, &
GM cars '76-on
Head Dia: 3/4"
Stem Dia: 9/32"
Stem Length: 1/2"



15480^(FA)
(N802734S)
Nylon

Interior Trim Retainer
Ford 1983-on
Head Dia: 25mm
Stem Dia: 8mm
Stem Length: 20mm




11842^(CF)
(N-800387-S)
Nylon

Dashboard Retainer
"Christmas tree" Fastener:
Ford Products: '79-on
Head Dia: 1-1/4"
Stem Dia: 5/16"
Stem Length: 1-3/16"




701-528^(FA)
(Ford:384051-2)
(GM 472434;480534)
Plastic

Cowl Insulation Retainer
Splash Shield & Wire Retainer
Ford Products
Head Dia: 13/32 x 1"
Stem Dia: 9/32"
Stem Length: 9/16"




701-529^(CF)
(387182-S)
Nylon

"Chistmas Tree" Seat Back
Panel Fasteners
Ford Products '77-'90
Head Dia: 5/8"
Stem Dia: 11/32"
Stem Length: 1-1/8"



701-530^(CF)
(D6NW9452118A)
Nylon (Blue)

Retainer Roof Trim Panel Fastener
Ford Products '76-'77
Head Dia: 15/16"
Stem Dia: 5/16"
Stem Length: 7/8"












12909^(FA)
(388930-S)

Retaining Fasteners
Ford Products 1980-on
Trim Panel Push
Type Fastener
Head Dia: 1"
Stem Dia: 9/32"
Stem Length: 1-1/16"

Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD


	 <p>14953^(CF) (N803494S) Nylon</p> <p>Screw Type retainer For Facia, Trim, Grille Attachments Aerostar, Escort & Lynx 1985/on Retainer Head: 15/32" x 15/32" Fits into 1/4" Square Hole or Slot</p>	 <p>13468^(CF) (N802738-S)</p> <p>Ford Product- Topaz, Tempo Sight Shield Attachment to aluminum Bumper Head Diameter: 3/4" Stud Diameter: 3/16" Length: 3/4"</p>
 <p>11706^(FA) (387944-S)</p> <p>Plastic Drive Rivet (Grille to Metal Stamping) FORD: Econoline- '78-'82</p>	 <p>533154^(FA) (383142-S) Length 1/4" PLASTIC</p> <p>Grille to Headlamp, Bracket or Brace Rivet: FORD Mustang FORD MAverick</p>	 <p>13469^(CF) (N802737-S)</p> <p>Ford Product Topaz-Tempo Under Hood Retainer Head Diameter 3/4" Stud Diameter 3/16" Length 1/2"</p>
 <p>9970^(FA) (45270-S36)</p> <p>8-32 Hex washer Head Nut FORD PRODUCTS GEN. PURPOSE</p>	 <p>13471^(CF) (E43B-16B730AA) Nylon</p> <p>Ford Product Topaz-Tempo Hood Prop Retaining Clip</p>	
 <p>New</p> <p>18331^(BA) (N805995-S100) (W701566-S417)</p> <p>Diameter: 1/4" Grip: 1/32"-7/32" Aluminum Rivet (Blk) Alum. Mandrel (Yellow) Attachment of Power Door Lock Actuator Mustang & Lincoln Continental 1995-94</p>	 <p>New</p> <p>18167^(CF) (N804193-S100)</p> <p>Diameter: 1/4" Grip: 3/32"-9/64" Head Dia: 3/4" Aluminum Rivet (Blk) Alum. Mandrel Front Door handle & Door Lock Actuator Temp. Topaz, T-bird & Cougar 1995-94</p>	

BODY SHOP SUPPLIES
FORD

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD




15187^(CF)
(N-804583)

Cowl Vent Grille
Retaining Ring
Ford Aerostar 1986/on
Head Size: 8.5mm x 15.5mm
Body Length: 23mm
Diameter: 4mm
Black Nylon



12653^(CF)
(388047-S102)

Dia. 1/4" Zinc & Black Phos.
Grip .090"-.125"
Peel Type Special Rivet
Ford Products 1981/on
Door Handle Assembly



533155^(FA)
(387843-S)
Black Nylon

Drive Rivets
Ford Product All '78/on
Fastens inner Fender to Car Body



12651^(CF)
(N801638-S543)

Diameter 3/16"
grip 1/4"
Special Rivet, Green
Ford Products 1981/on, All Ford
Product Heat Shield Attaching



19500^(CFA/BCF)
(Ford No. 383229-S)

Stainless Steel Rivet
Steel Mandril
Head Style: Narrow Flange
Rivet Dia: 1/8"


Hole Size: .128-.132
Panel Thickness: up to 1/4"

To replace welded studs on Body
FORD PRODUCTS all



7981^(B)

Special Nose Piece or Adapter
To replace welded Studs
Use w/OEM No. 19500
Rivet which replaces
Ford Rivet No. 383229-S



12652^(CF)
(388442-S100)

Diameter 1/4" Black Phosphate
grip .125"-.250"
Special Rivet
Ford Products 1981/on, Escort,
Lynx, Bumper Assembly



14127^(CF)
(388664-S100)

Ford Product
Mustang/Capri
1982/on
Facia/Bumper
3/16" Stud
9/16" Head O.D.



12654^(FA)
(372820-S36)

Dia 1/4" Chrome & Zinc
Peel type rivet
FORD-1979-on Pinto, Bobcat,
Front Bumper assembly




701-188^(CF)
(N805759-S100)

Dia 1/8" Black
Grip: .063-.125
Flange Dia: 3/8 Aluminum
Rivet & Mandrel
Windshield Side Rail
Ford T-Bird & Mercury Cougar
1989-on

Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD



14933^(FA)
(N804846S56)
Phosphate

M6-1.0 x 16mm
Pan Head Internal
Torx (T-30) Drive
Head Diameter: 13mm
Ford Products




14947^(FA)
(N800928-S45)
(N801851-S45)

Truck Mirror Mounting Bracket
Bolt 302 Stainless Steel, Nickel
Chromate Plated
M6-1.0 x 26mm
Torx (T-30) Pan Head with Free
Spinning 16mm O.D. Washer
Ford Trucks 1980/on




15154^(FA)
(N800623)

Nylon Coated Acorn
Nut with Sealer
Used on trunk trim
on Ford & Mercury
Thread: 4mm, Hex: 9mm
Height: 10mm




12623^(FA)
(386773-S100)

1/4-20 x 7/8"
Quickie Bolt
FORD PRODUCTS 1980-on




12335^(FA)
12335B^(CF)
12335CFA
(N606677-S36)
Zinc & yellow

Thread 6 x 1.0 x 28mm Long
Indented hex Washer Head
Grade 9.8
Concave Washer
Washer O.D. 3.4"
Ford Products



12160^(FA)
12160B^(CF)
12160CFA
(N-6066760-S2)

Phos.
6 x 22mm
High hex Head W/dog Point
3.4" Washer O.D.
Metric Body Bolt
Ford Cars
Ford & General Purpose




14217^(CF)
GM 1257702, 20346654
FORD 383207-S
AMC 3693099
GM/FORD/AMC PRODUCTS
Routing Clip

BODY SHOP SUPPLIES
FORD


O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


CLIPS & FASTENERS - FORD




14137^(CF)
(D8BB-7420828-AA)
Moulding Fastener-
FORD1978-on



11647^(CF)
(D2FZ-7320818A)
(D22B-7320818AA)
Nylon/Neutral
Moulding Fastener
Door & Lower Tailgate
FORD-'72-on




12559^(FA)
(D5UB2221066AA)
Nylon
Moulding Fastener
FORD-'80-on



12561^(FA)
(D5UB2220232AA)
Nylon
FORD PRODUCT
1980-on



17066^(BA)
(F2AB-5410182-AB)
Nylon
Rocker Panel Moulding Fastener-
1-3/16 Wide x 3-13/16 Long
FORD & Mercury 1991-on



14141^(BA)
(D9ZB-6610182-BA)
(D92B-6610182-BA)
Nylon
Body Side Moulding Clip
Mustang & Capri
FORD-'79-on



15365^(BF)
(E8MB-5421094AA)
(E8MY-5421094A)
Nylon
Front & Rear Door Moulding Clip
1-3/4 Long; 1-3/16 Wide (Body)
1-11/16" Wide (Prongs)
Ford: 1988-on




701-860^(FA)
(E7ZB-6120908AC)
Nylon
Door Retainer/Outside
Belt Moulding Clip
Ford Mustang 1987-on




12610^(FA)
(D2SB-65045A28-AA)
(N801-829-S100)
Base Trim Panel Clip
Panel Range .090-.110
Escort, Lynx 1981-on



14138^(CF)
(E2EB-61290c62-AA)
Nylon
Body Side moulding
FORD PRODUCT
Escort/Lynx
1981-on



14139^(BF)
(E1EB-74208A24-AA)
Nylon
Moulding Fastener
FORD PRODUCT
Escort/Lynx
1981-on



14213^(CF)
(D42B-6021066BA)
Nylon
FORD PRODUCT
Mustang
Body Side Moulding

Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD




9347^(FA)
(C7SB-6540248-A)
Back belt Nylon
Moulding Fastener
FORD



9976^(FA)
(C9AZ-6220818-A)
Nylon
Door Moulding Fastener
FORD




10333^(FA)
(6003317)
(DOOZ-6620818-A)
Nylon
Front and Erar Door Moulding
Fastener
Ford/Chrysler Product



10812^(CF)
(C90-B-5440248-B)
Plastic
Moulding Fastener-
FORD- Light Tricks



11103^(FA)
(D1MY-6540248-B))
NYLON
Roof Cover (Side & Rear)
Moulding Fastener
FORD PRODUCTS '73-on
Body Side Moulding Fastener
MERCURY- '71-on




11344^(FA)
(C8AZ-63423B06-A)
NYLON
Rood Back belt
Moulding Fastener
FORD-Grand Torino- '73-on
Mustang- '75-on




11382^(BAA)
(D5AZ-7120818-A)
PLASTIC


Front Rear Door & Quarter
Panel Moulding Fastener
FORD-'75-on Custom 500
4-door Hard top (aslo Roof
moulding)
FORD-'75-on Country Squire
Wagon '80
FORD-'76-on LTD Brougham 2
door hard top
FORD-'76-on Grang Torino
Squire
FORD-'76-on Pinto 2 door wagon



13472^(BA)
(FORD-386285)
(AMC-3230375)
Nylon
Ford & AMC
Air CLeaner Wing Nut
Self Threading



701-006^(FA)
(D1MY-6540248-B)
NYLON
Roof Cover (Side & Rear)
& Body side Moulding
Ford 1971-On



11646^(FA)
(D4ZB-6910182-AB)
Nylon
Sill & Pillar
Moulding Clip
Ford 1975-on




15704^(BF)
(N803822-S)
Nylon
Headlight Door Retaining Nut
Ford Aerostar 1986 - ON
For M4.2(#8) Screw

BODY SHOP SUPPLIES
FORD

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


CLIPS & FASTENERS - FORD



8847^(CF)
(380575-S2)

Size 5/16-18 x 1-1/4"
Parkerized


Tailgait Torsion Bar Spin
Lock Bolt w/loose Washer
FORD



533162^(CF)
(377917-S2)

Size 3/8-16 x 1"
Parkerized


General Purpose Special Hex
Head Bolt w/loose Washer
ALL FORD PRODUCTS



533158^(CF)

Size 5/16-18 x 1"
Phosphate Finish


Indented Hex Head Conical
Washer Type CA, with Sems
7/8" O.D. Washer- Front End Sheet
Metal FORD & GM PRODUCTS



533163^(CF)

Size 1/4-20 x 1"
1" Washer O.D.


General Purpose Front End
Sheet Metal Hex Washer
Head Body Bolt



533166^(CF)

Size 5/16-18 x 1"
7/8" Washer O.D.

General Purpose Front End
Sheet Metal Hex Washer
Head Body Bolt
GM & FORD PRODUCTS



15782^(CF)
(N803506-S55)

Cadmium & Black Chromate
M8-1.25 X 33MM
Indented Hex Head Sems®
Washer O.D. 22MM (7/8")
10MM Hex



15781^(CF)
(N800576-S55)

Cadmium & Black


M6-1.0 X 27.5MM
Indented Hex Head Sems®
w/Dog Point
Washer O.D. 38MM (1-1/2")
8MM Hex



15719^(FA)
(N800510-S100)

Phosphate


M6-1.0 X 18.5MM
Indented Hex Head Sems®
w/Dog Point
Washer O.D. 19MM (3/4")
11MM Hex



15778^(FA)

(N606676-S36)
Zinc & Chromate


M6-1.0 X 22.5MM
Indented Hex Head Sems®
w/Dog Point
Washer O.D. 19MM (3/4")
8MM Hex



15780^(FA)

(N606690-S2)
Phosphate

M8-1.25 X 33MM
Indented Hex Head Sems®
w/Dog Point
Washer O.D. 22.5MM (7/8")
10MM Hex




15777^(FA)

(57472-S2)
Phosphate

1/4-20 X 3/4"
Indented Hex Head Sems®
w/Dog Point
Washer O.D. 3/4"
7/16" Hex


Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD




10616^(BA)
(DOOZ-13032-A)
Size 1/4-28 x 1-1/2

Headlamp Adjusting Screw
and Nut Assembly
FORD




10624^(BA)
(DODZ-13032-A)
Size 1/4-28 x 1-1/2

Headlamp Adjusting Screw
and Nut Assembly
FORD '68-on




11660^(BA)
(DZOB13A-093-AA)
Size 1/4-28 x 1-1/2
Phosphate

Headlamp Adjusting Screw
and Nut Assembly
FORD-Maverick, Pinto,
Comet, Rancheri & Medium
Trucks



11662^(BA)
(DITZ-13032B)
(D7OZ-13032B)
D7SZ-13032A)
D70B-13A-093-AA)
Thd 1/4 x 28 Phos

Headlamp Adjusting Screw and
Nut Assembly
Cougar, CougarXR7, LTD,
LTDII, Margur, T-Bird 1976-on,
'79 Mark V, 79 Lincoln
Ford & Mercury Prod. 1973-on



13621^(BA)
(E3DB-13A093AF)
Plated
Screw 1/4-28 x 1-3/4


Ford Product
1983-on
LTD, Marquis, T-Bird, Cougar,
Tempo, Topaz

BODY SHOP SUPPLIES
FORD

O.E.M. HARDWARE


Hard to Find Fasteners Our Specialty

HEADLAMP ADJUSTING SCREWS - FORD




701-061^(BA)
(E63Z-13032A)

Adjusting Screw Assembly with O-ring &
Push-nut Vertical Adjustment
Hex Drive
FORD Tempo & Topaz 1986-on




701-062^(BA)
(E63Z-13032B)

Adjusting Screw Assembly with O-ring &
Push-nut Horizontal Adjustment
Hex & Torx Drives
FORD Tempo & Topaz 1986-on



701-063^(BA)
(E7SZ-13032-C)
12-28 x 2-1/8

Adjusting Screw Assembly
R.H. Lower, L.H. Upper
Hex & Phillips Drives
FORD T-bird, Cougar & Continental 1987-on




701-064^(BA)
(E7SZ-13032-D)
12-28 x 1-1/2

Adjusting Screw Assembly
R.H. Lower, L.H. Upper
Phillips Drive
FORD T-bird, Cougar & Continental 1987-on




701-066^(BA)
(E6DZ-13032A)

Adjusting Screw Assembly
Hex & Slotted Drives
FORD Taurus & Sable 1986-on



701-067^(BA)
(E6DZ-13032B,C)


Adjusting Screw Assembly
Hex Drives
FORD Taurus & Sable 1986-on



Hard to Find Fasteners Our Specialty

CLIPS & FASTENERS - FORD

PART No.	DIMENSIONS			
	O.D. "A"	I.D. "B"	HEIGHT "C"	FLANGE O.D. "D"
14550	.419"	.345"	.295"	.598"
14551	.479"	.348"	.295"	.598"



14550_{CF}
(D1AZ-6522841A)
Ford (All) 73-on

14551_{CF}
(D9OZ-6522841A)
Ford (All) 73-on

14554_C
Left (Driver's) Side
5-3/4" Long




14555_C
Right (Passenger's) Side
5-3/4" Long



14556_B
Installation Tool




Now you don't have to replace the entire door hinge assembly on Ford trucks when only the Spring is Broken. You eliminate removing, replacing and realigning the door. These OEM equivalent springs have been redesigned to make installation easier. The job goes much faster too, when you use installation tool 14556.



701-068_(CF)
(E9DZ-13N020AA,
E9DZ-13N129A)

Headlight Component
Retaining Clip
FORD Taurus & T-Bird 1989-on
Mercury Cougar & Sable 1989-on



701-069_(CF)
(E5LB-13A147AA,
E5LY-13A147A)

Headlight Adjuster Retainer
Escort & lynx 1985-on
Lincoln Mark VI, VII 1985-on
Merkur 1985-on
Tempo & topaz 1986-on

BODY SHOP SUPPLIES
FORD

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

BUMPER BOLTS - FORD

ROUND CHROME HEAD




SIZE	PART No.	
3/8"-16 x1	101005	CF
x 1-1/2	101010	CF
7/16-14 x 1	101015	CF
x 1-1/2	101020	CF
1/2-13 x 1	101025	CF
x 1-1/2	101030	CF
x 2	101035	CF



101060_(CF)
(376337-S100)
11/16" Capped Head
5/16-18 x 3/4"

Front Bumper (END) Bracket to Bumper
FORD-Mustang
FORD-Fairlane
MERCURY-Comet



101065_(CF)
(23472-S8)

Uncapped Round Head
Head Size 15/16"
Thread Size 7/16-14 x 1-1/2"
Cadmium Plated

Front Bumper Impact Bar to
outer Arm Bolt
FORD '66 Galaxie
Front Bumper inner and
outer arm to impact bar bolt
FORD -67-on Galaxie
Front bumper to inner arm bolt
FORD '68-on Fairlane
Rear Bumper to inner &
outer arms bolt
FORD '70