

REGULAR FLAT WASHERS ARE ONE OF THE MAJOR CAUSES OF EQUIPMENT FAILURE:

K-1

Bolt and nut assemblies loosen because ordinary flat washers...



...bend,



...dish,



...gall,



...and rust.

AS A RESULT:


- ⇒ NO HOLDING POWER
- ⇒ MISALIGNED AND SLIPPING PARTS
- ⇒ RAPID WEAR and EQUIPMENT BREAKDOWNS

WASHERS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

F-911® HIGH STRENGTH FLATWASHERS



UNSURPASSED TENSILE STRENGTH

- STRONG, TOUGH, BUT NEVER BRITTLE
- ELIMINATE DISHING, CUPPING, GALLING UNDER LOADS

ASSURE SAFE, TIGHT ASSEMBLIES


- STAYS FLAT TO KEEP CAP SCREWS TIGHT
- ELIMINATES MISALIGNED SLIPPING PARTS

- RUST AND CORROSION PROTECTION UNMATCHED BY ANY COMMERCIAL PLATING.
- RESISTS: SCRATCHING, FLAKING, CRACKING

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

F-911® FLATWASHERS



SIZE	SAE		USS	
3/16" or #10	40264	FAA		
1/4"	40265		765-500	CFA
5/16"	40266		765-501	CFA
3/8"	40267		765-502	CFA
7/16"	370	CFA	765-503	BAA
1/2"	371		765-504	BAA
9/16"	372	BAA		
5/8"	373		765-505	FA
3/4"	570		765-506	GA
7/8"	40273		765-507	DA
1"	40274		765-508	CF
1-1/8"	40275		765-509	
1-1/4"	40276	FA	765-510	BA
1-1/2"	40277		765-511	

- TOUGH, STRONG
- SAFE AND RELIABLE
- Protecto-Plated*® FOR MAXIMUM RUST RESISTANCE

OTHER SIZES AVAILABLE ON REQUEST




WASHERS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

F-911® EXTRA THICK FLATWASHERS



BIG
LARGE
THICK


- **GRADER BLADE**
- **CUTTING EDGE**
- **BUCKET EDGE**
- **ALTERNATOR BRACKETS**
- *Protecto-Plated*®
- **SAE PATTERN**

PART NO.	BOLT SIZE	O.D.	I.D.	THICKNESS	
765-600	1/4"	.625	.281	.090/.110	BAA
765-601	5/16"	.688	.344	.090/.110	
765-602	3/8"	.812	.406	.090/.110	
765-603	7/16"	.921	.468	.090/.110	
765-604	1/2"	1.062	.531	.156/.188	FA
765-605	9/16"				
765-606	5/8"	1.312	.656	.170/.195	
765-607	3/4"	1.468	.812	.170/.195	
765-608	7/8"	1.750	.937	.235/.265	CA
765-609	1"	2.00	1.062	.235/.265	
765-610	1-1/4"				

O.E.M. HARDWARE


Hard to Find Fasteners Our Specialty

Electra-Plate[®] FLAT WASHERS SAE




SIZE	PART NO.	
#6	34488	FAA
#8	34493	FAA
#10	34498	FAA
1/4	34503	FAA
5/16	34727	FAA
3/8	34732	FAA
7/16	34747	CFA
1/2	34852	CFA
9/16	35057	BAA
5/8	35067	BAA
3/4	35072	BAA
7/8	31450	BAA
1"	31455	BAA
1-1/4	31460	FA

Electra-Plate[®] FLAT WASHERS USS



SIZE	PART NO.	
#10	35077	FAA
1/4	35082	FAA
5/16	35491	FAA
3/8	35496	FAA
7/16	35541	CFA
1/2	35546	CFA
9/16	35551	BAA
5/8	35561	BAA
3/4	35821	BAA
7/8	31625	BAA
1"	31630	BAA
1-1/4	31635	FA

Primalloy SS[®] STAINLESS STEEL WASHERS




SIZE	PART NO.	
#6	534266	FAA
#8	790-031	FAA
#10	534269	FAA
1/4	534270	FAA
5/16	534271	FAA
3/8	534272	FAA
7/16	534273	CFA
1/2	534274	CFA
5/8	534275	BAA
3/4	534276	BAA
7/8	790-422	BAA
1"	534277	FA
1-1/4	790-423	FA

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

F-911® LOCK WASHERS



SIZE	PART NO.	CODE
1/4	31395	FAA
5/16	31400	FAA
3/8	31405	FAA
7/16	31410	CFA
1/2	31415	CFA
9/16	31420	BAA
5/8	31425	BAA
3/4	31430	BAA
7/8	31435	FA
1"	31440	FA
1-1/4	31445	FA



- SPLIT-TYPE, SUPER HOLDING POWER
- Protecto-Plated*® FOR MAXIMUM PROTECTION AGAINST RUST AND CORROSION.
- DESIGNED FOR HIGH LOAD TORQUING

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

Electro-Plate[®] LOCK WASHERS


SIZE	PART NO.	
#6	11462	BAAA
#8	11463	BAAA
#10 or 3/16	11448	BAAA
1/4	11449	FAA
5/16	11450	FAA
3/8	11451	FAA
7/16	11452	FAA
1/2	11453	CFA
9/16	11454	CFA
5/8	11456	BAA
3/4	11457	BAA
7/8	11458	BAA
1"	11459	BAA
1-1/4	11460	FA



Protecto-Plate
FOR MAXIMUM PROTECTION

Primalloy SS[®] STAINLESS STEEL LOCKWASHERS

SIZE	PART NO.	
#6	534278	FAA
#8	534279	FAA
#10 or 3/16"	534288	FAA
1/4	534280	FAA
5/16	534281	FAA
3/8	534282	FAA
7/16	534283	CFA
1/2	534284	CFA
5/8	534285	BAA
3/4	534286	BAA
7/8	790-420	BAA
1"	534287	FA
1-1/4	790-421	FA




WASHERS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


OVERSIZE FENDER WASHERS

For 3/16 Bolts




3/4 O.D.
41670 (BAA)

For 1/4 Bolts




1-1/4 O.D.
41680 (BAA)

For 1/2 Bolt




1-1/2 O.D.
41715 (FA)

For 5/16 Bolts




1-1/2 O.D.
41685 (BAA)

For 5/16 Bolts



1-1/4 O.D.
41695 (BAA)

For 3/8 Bolts



1-1/2 O.D.
41705 (BAA)

PART NO.	BOLT SIZE	OUTSIDE DIAMETER	
41670	3/16	3/4	BAA
41680	1/4	1-1/4	BAA
41685	5/16	1-1/2	BAA
41695	5/16	1-1/4	BAA
41705	3/8	1-1/2	BAA
41715	1/2	1-1/2	BAA


- SMOOTH SURFACE - BURR FREE
- UNIFORM THICKNESS
- SPECIFICALLY DESIGNED FOR APPLICATIONS WHERE A LARGER BEARING IS REQUIRED

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty



EXTERNAL LOCK WASHERS-CADMIUM		
SIZE	PART NO.	CODE
#6	533195	BAA
#8	533200	
#10	533205	
#12	533210	
1/4	533215	
5/16	533220	
3/8	533225	
7/16	533230	
1/2	533235	
5/8	533240	
3/4	533245	




SUPER-FIX
ASSORTMENTS

700-255
see page G-30



INTERNAL LOCK WASHERS CADMIUM		
SIZE	PART NO	
#6	533255	BAA
#8	533260	
#10	533265	
#12	533270	
1/4	533275	
5/16	533280	
3/8	533285	
7/16	533290	
1/2	533295	
5/8	533300	
3/4	533305	



WASHERS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

COUNTERSINK FINISHING WASHERS



Standard Type


SCREW SIZE	I.D.	O.D.	NICKEL PLATED STEEL	BLACK PLATED BRASS	NICKLE PLATED BRASS	
#6	11/64	7/16	49648	16011		BAA
#8	13/64	1/2	49649	16012		
#10	7/32	9/16	49650	16013	790-329	
#12	1/4	5/8	49651	16014	790-168	
#14 (1/4")	5/16	23/32	49652			



Flush Type

SCREW SIZE	I.D.	O.D.	NICKEL PLATED STEEL	
#6	5/32	11/32	49653	BAA
#8	3/16	3/8	49654	
#10	13/64	15/32	49655	
1/4	17/64	5/8	49656	

COPPER WASHERS



SUPER-FIX
ASSORTMENTS



700-238
see page G-32

Screw Size	I.D.	O.D.	Thickness	Part No	
3/16"	1/4"	7/16"	1/32"	65101	BAA/FA
3/16"	1/4"	5/8"	1/16"	65102	FA/CF
1/4"	5/16"	1/2"	1/32"	65103	BAA/FA
1/4"	5/16"	11/16"	1/16"	65104	FA/CF
5/16"	3/8"	9/16"	1/32"	65105	BAA/FA
5/16"	3/8"	3/4"	1/16"	65106	FA/CF
3/8"	7/16"	13/16"	1/16"	65107	FA/CF
7/16"	1/2"	7/8"	1/16"	65108	FA/CF
1/2"	9/16"	13/16"	3/32"	65109	FA/CF
5/8"				65110	FA/CF
3/4"				65111	FA/CF

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

COUNTERSINK FINISHING WASHERS-NYLON



PART No.	SCREW SIZE	O.D. (A)	I.D. (B)	O.D. (A)	Color	
13716	#6	.437 (11.10MM)	.143(3.63MM)	.100(2.54MM)	Natural	FA
13717	#6	.437 (11.10MM)	.143(3.63MM)	.100(2.54MM)	Black	FA
13718	#8	.515 (13.08MM)	.171(4.34MM)	.115(2.92MM)	Natural	FA
13719	#8	.515 (13.08MM)	.171(4.34MM)	.115(2.92MM)	Black	FA
13720	#10	.580 (14.73MM)	.191(4.85MM)	.152(3.86MM)	Natural	FA
13721	#10	.580 (14.73MM)	.191(4.85MM)	.152(3.86MM)	Black	FA
13722	#12	.609(15.47MM)	.225(5.72MM)	.160(4.06MM)	Natural	FA
13723	#12	.609(15.47MM)	.225(5.72MM)	.160(4.06MM)	Black	FA
13724	#14	.683(17.35MM)	.251(6.38MM)	.183(4.65MM)	Natural	FA
13725	#14	.683(17.35MM)	.251(6.38MM)	.183(4.65MM)	Black	FA

- Available in natural or Black Nylon
- Protects cabinets from scratching
- Cover misaligned holes
- Body Trim
- Also used as glides, Bumpers and spacers

WASHERS

O.E.M HARDWARE

"Hard to Find Fasteners Our Specialty"™

#103-12779-80TH AVE. SURREY, B.C. V3W-3A6 PH.(604)591-1100 FAX (604)591-8133

SOLD TO: _____

C.O.D	PAGE #	#OF PAGES TO ORDER	ORDER DATE
P.O.#		BUYERS NAME	
ACCT.#		PHONE #	
EMAIL ADDRESS		FAX #	

SHIP TO: _____

P.S.T #	AGENTS NAME	AGENT CODE	ZONE
---------	-------------	------------	------

ORDER	PART #	DESCRIPTION	PRICE	PER	AMOUNT
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					

TOTAL LINES

New

ESTABLISHED

NO RETURN GOODS ACCEPTED WITHOUT WRITTEN PERMISSION.
CLAIMS FOR SHORTAGES OR DAMAGED GOODS ONLY WITHIN 48 HOURS.

BUYER'S SIGNATURE X _____

NAME OF CARRIER _____

SUBTOTAL _____

G.S.T _____

P.S.T _____

SHIPPING _____

TOTAL _____

VISA MC CARD# _____

CARD HOLDER _____

EXP. _____